



Ruite pump

Slurry pump, FGD pump, Gravel pump, Submersible pump Professional Factory



PUMP MANUFACTURING GROUP

Specializing in the design, production and sales of high-quality pumps, water supply systems and pump control systems

[More](#)


ABOUT RUI TE

FOCUS TEMPLATE PRESENTS

Shijiazhuang Ruite Pump Co., Ltd. is a production-oriented high-tech enterprise integrating R&D, design, production and sales of slurry pumps, desulfurization pumps, and dredging pumps. It was developed from a Foundry who is established in 1999 with a registered capital of 50 million, located in Gaocheng District, Shijiazhuang, China. With more than 20 years development, it has become a modern company focused on pump research, production, sales and service.

Ruite History

Ruite is a slurry pump factory integrating design, manufacture and export. After 20 years of development, it has become a competitive slurry pump manufacturing leader and technical service provider.



We Start from Pump parts casting

Certificate

ISO9001



**QUALITY MANAGEMENT
SYSTEM CERTIFICATE**

Registration No.: 0350818Q30065ROM

This is to certify that the quality management system of
Shijiazhuang Ruite pump industry Co., LTD.
Majuan village, Nandong town, Gaocheng district, Shijiazhuang city, Hebei province, 052160
Social Credit Code: 911301826610744450

is in conformity with
GB/T 19001-2016 / ISO 9001:2015 Standard

This certificate is valid to the following product(s)
Slurry pump, clean water pump processing and service (Site Covered: Majuan village, Nandong town, Gaocheng district, Shijiazhuang city, Hebei province).

Date of issue: April 02, 2018
Date of expiry at most: April 01, 2021

Representative: *WangHonglin*



XINGYUAN CERTIFICATION
CENTRE CO., LTD. (XQCC)
FOR CERTIFICATE
(7FL Tower Building Plaza, No.9
Shangdi 3 St., Haidian, Beijing)

  中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C035-M

NOTE: This certificate shall be maintained by regular surveillance audit. The validity of the certificate can be verified by scanning QR code. The information of the certificate can be available in <http://www.cnca.gov.cn>, the website of CNCA, and in our website <http://www.xqcc.com.cn>.



OHSAS18001



**OCCUPATIONAL HEALTH AND SAFETY
MANAGEMENT SYSTEM CERTIFICATE**

Registration No.: 0350417S20096ROM


This is to certify that the occupational health and safety management system of
Shijiazhuang Ruite Pump Co., Ltd.
Majuan Village, Nandong town, Gaocheng District, Shijiazhuang city, Hebei Province, 052160
Social Credit Code: 911301826610744450


is in conformity with
GB/T 28001-2011 / OHSAS 18001:2007 Standard

This certificate is valid to
Production and service of slurry pump, water pump (Site Covered: Majuan Village, Nandong town, Gaocheng District, Shijiazhuang city, Hebei Province).

Date of issue: May 09, 2017
Date of expiry at most: May 08, 2020


Representative: *WangHonglin*


XINGYUAN CERTIFICATION
CENTRE CO., LTD. (XQCC)
(7FL Tower Building Plaza, No.9
Shangdi 3 St., Haidian, Beijing)

 中国认可
管理体系
MANAGEMENT SYSTEM
CNAS C035-M

NOTE: The registration continuity depends on the demonstration of OHSMS effectiveness by planned annual surveillance. The information of this certification can be available in <http://www.cnca.gov.cn>, The website of CNCA. Detailed information can also be available in our website <http://www.xqcc.com.cn>.

ISO14001



**ENVIRONMENTAL MANAGEMENT
SYSTEM CERTIFICATE**

Registration No.: 0350417E20107ROM


This is to certify that the environmental management system of
Shijiazhuang Ruite Pump Co., Ltd.
Majuan Village, Nandong town, Gaocheng District, Shijiazhuang city, Hebei Province, 052160
Social Credit Code: 911301826610744450



is in conformity with
GB/T 24001-2016 / ISO 14001:2015 Standard

This certificate is valid to
Production and service of slurry pump, water pump (Site Covered: Majuan Village, Nandong town, Gaocheng District, Shijiazhuang city, Hebei Province).

Date of issue: May 09, 2017
Date of expiry at most: May 08, 2020

Representative: *WangHonglin*



XINGYUAN CERTIFICATION
CENTRE CO., LTD. (XQCC)
(7FL Tower Building Plaza, No.9
Shangdi 3 St., Haidian, Beijing)

  中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C035-M

NOTE: The registration continuity depends on the demonstration of EMS effectiveness by planned annual surveillance. The information of this certification can be available in <http://www.cnca.gov.cn>, The website of CNCA. Detailed information can also be available in our website <http://www.xqcc.com.cn>.

Ruite Pump Series

- 01 AH(R), HH Slurry Pump
- 02 Gravel Pump
- 03 Dredge Pump
- 04 Desulfurization Pump
- 05 SP(R) Submersible Pump
- 06 ZJQ Vertical Slurry Pump





CV



ZV



CR or CL



DC

AH(R), HH Slurry Pump

Specifications

Size: 1-18 inches

Capacity: 10-5400 m³/h

Head: 5-118m

Material: Hi-chrome alloy, Rubber liner and Ceramic lined

Seal: Packing seal, Expeller seal and Mechanical seal

It could be driven by electric motor or diesel engine and we have engineer professional for your pump selection and related equipment select.

Application

It's suit for most difficult applications such as highly abrasive , high density slurries for metallurgical,mining,coal and building material departments.



Gravel pump

Specifications

Size: 4-18 inches

Capacity: 35-3800 m³/h

Head: 5-80m

Material: Hi-chrome alloy and Ceramic lined

Seal type: Packing, expeller and mechanical seal

Max Diameter of flowed particle: 254mm

Application

Gravel pumps are designed for continuously handling the most difficult higher abrasive slurries which contain too big solids to be pumped by a common pump. Such as Dredging Sand and Gravel Handling, Solid handling. Wet sand suction Coal-washing plant, Fine tailing, Mineral sands and Marine

Dredge Pump



Specifications

Size: 12-40 inches

Capacity: 1800-25000 m³/h

Head: 20-78m

Material: Hi-chrome alloy and Ceramic lined

Power: 300-5000Kw

300WN-500WN are single casing structure, 600WN-1000WN are double casing structure. The double casing structure can guarantee long-term safe and reliable running.

Application

WN series dredge pump widely used in dredging and reclamation of rivers and lakes.



Desulfurization Pump

Specifications

Size: 350-1000 mm

Capacity: 1500-15000 m³/h

Head: 5-94m

Material: Hi-chrome alloy and Ceramic lined

Power: 300-5000Kw

TL type adopts horizontal, double casing, single stage, single suction, cantilever back, disassembly structure.

DT type adopts horizontal, single casing, single stage, single suction, cantilever back, disassembly structure.

.

Application

Desulfurization pump Mainly as the absorber recirculation pumps in wet FGD systems.



SP(R) Vertical Pump

Specifications

Size: 1.5-10 inches

Capacity: 15-800 m³/h

Head: 5-40m

Submerged depth: 900-3000mm

Material: Hi-chrome alloy, Rubber liner and Ceramic lined

Application

The vertical sump pump is widely used in feeding slurries to the hydrocyclone or pressure filter in the mining industry, froth floatation, minerals recycling, mine dewatering, flue gas desulphurization in power plant, coal washing, metallurgy, pulp and paper manufacture, and chemical engineering.



ZJQ Submersible Slurry Pump



Specifications

Size: 2-12 inches

Capacity: 10-1000 m³/h

Head: 6-68m

Material: Hi-chrome alloy and Ceramic lined

Seal type: mechanical

Application

Delivery liquid sand, mines, quarriers, coal ore & slurries

Clearing the mud in lake, river, sea

Dredging widening channel


Pump Wet Flow Parts

Ruite pump supply all kinds of slurry pump wet parts with excellent quality in competitive price. These parts are all standard parts, can fit for slurry pump series(AH(R), HH, SP(R), G, TL, L, ZJ, M models).

The material we have: High chrome alloy: A05, A07, A49, A33, etc. Natural rubber: R08, R26, R33, R55, etc. Silicon Carbide Ceramic , PU.



Working Process



Production

More than 20
years history

Specialized in
high quality



Coated sand molding



Casting



Polishing



Heat treatment



Machining




Test



Package

Working Shop



Product Show

Every product has pass the strict quality test, to make sure clients can use smoothly.



Warehouse

We have large quantity pump parts in stock, to make sure Fast-Delivery




Application

Slurry pump are widely used in Mineral processing, coal washing, metallurgy, sand mining, dredging and other industries.




Application





**We will provide professional
slurry transfer suggestion**

Contact Us



Tel: +86 19933139867

Email : rita@ruitepump.com

Web: www.ruitepumps.com

**Add: Gaocheng District, Shijiazhuang city,
Hebei province, China**



THE END

Thanks for your time
